

REQUIREMENTS

 You need to purchase a package from an SMS Gateway Provider of your choice to be able to send messages to your customers/contacts in Billing Register.





	9 ° ° ` 🖪	<u>A</u> ~ ₹							Billing Regist	ter					Shashvat (Supta SG –	X e X
File	Home Sales	Customers	Purchases	Suppliers	Inventory	Production	Label/Sticker:	s Accountin	g Marketing	Administrative Tasks	Statu	tory Master Data	General Setti	ings	General Master Data	Organization	
== Das	hboard 🗙 🔚 S	SMS Gateway Pro	viders $ imes$														>
	SMS G	ATEWA	Y PRO	VIDER	S												
 ▲ ▲	SMS Click here to Unlock the form DataGenitISON Kit19 satyamitsolutio uengage Way2sms WhatsApp Deskt	SMS Gateway Providers			in Detail Mi rovider Name: lertBoxHTTP Description: Vebsite http://a rovider HTTP St tp://alertbox.in ly gateway prov nding message low sending of Maximum Rec ter Recipients/	scellaneous alertbox.in/ ring: St n/pushsms.php vider disallows : SMS to multipl pients Per Mes 10 □ Unlin Message String	Active : Active : Active : Active : Introduction of the second					Method to Send HTTP Request: Send HTTP String to Server in Hidden Mode. Load HTTP String into Default Web Browser (New Tab). Load HTTP String into Default Web Browser (Close/Open). Launch HTTP String via Shell Command. ECIPIENT>>&message=< <message>>&priority=8 eate a message template on their portal and get that template approved before Recipients Tag Suffix: Recipients List Seperator: (Not to be part of main HTTP String) </message>			fore		
× K K	Record: I4 ≤ 1 of Search () A	f 10 🕨 M December 10 December	No Filter tt O End T	Searct ext	From:	E 24 09:00 AM T essage on futur	4 Hours					ote About HTTP/Rec Jse tag < <recipient Jse tag <<message3 Jse tag <<template Jse tag <<sendond< td=""><td>cipients/Message >> to represent r >> to represent m EID>> to represen ATE>> to represen ATE>> to represen</td><td>e String recipien lessage t verifie nt future</td><td>Tags: t contact number. text. ed template. e date.</td><td></td><td></td></sendond<></template </message3 </recipient 	cipients/Message >> to represent r >> to represent m EID>> to represen ATE>> to represen ATE>> to represen	e String recipien lessage t verifie nt future	Tags: t contact number. text. ed template. e date.		

🗄 9 · C · 🖨 🖪 • =	Billing Register	Shashvat Gupta SG - D ×
File Home Sales Customers Purchases Supplie	rs Inventory Production Label/Stickers Accounting Marketing Administrative Tasks Statutory Master Di	ata General Settings General Master Data Organization $ ho $ Tell me
🖃 Dashboard 🗙 🖼 SMS Gateway Providers 🗙		×
SMS GATEWAY PROVID	RS	
SMS Gateway Providers AlertBoxHTTP AlertBoxXML Click here to Add a new Gateway Provider Kitzs IX satyamitsolutions uengage Way2sms WhatsApp Desktop	Main Detail Miscellaneous Provider Name: Active : Method to Send H AlertBoxHTTP Send HTTP ^ Description: Load HTTP Website http://alertbox.in/ Load HTTP / Load HTTP Main comparison My gateway provider disallows sending of dynamic messages over Transactional route, but expects me to create a message templ sending message: Allow sending of SMS to multiple recipients in single shot: Maximum Recipients Per Message: Recipients List Setting: Recipients Tag 10 Unlimited Setting: *Recipients/Mess	HTTP Request: String to Server in Hidden Mode. String into Default Web Browser (New Tab). String into Default Web Browser (Close/Open). TP String via Shell Command. <<<<>MESSAGE>>&priority=8 ate on their portal and get that template approved before g Suffix: Recipients List Seperator: , sage String has to be sent separately via Post Method fmain HTTP String)
Record: H 4 1 of 10 H K No Filter Search Search All Start Text End Text	Server Up Time : 24 Hours Use tag < <rcip< td=""> From: 09:00 AM To: 08:30 PM Allow sending message on future date: Use tag <<temp< td=""> Use tag <<temp< td=""> Vou can use one of the existing Gateway Providers if you have purched Else, you can create a new one if your preferred provider is For this demo, we will add a new gateway provider called</temp<></temp<></rcip<>	/Recipients/Message String Tags: IENT>> to represent recipient contact number. AGE>> to represent message text. LATEID>> to represent verified template. ONDATE>> to represent future date. ased a subscription/package from them. not already present in the list. 2d Fast2sms and set it up.

		🖪 🏾 👻 👻							Billing Registe	er			Shashvat	Gupta SG 🖉 🚽	\sim
File	Home Sa	ales Customers	s Purchases	Suppliers	Inventory	Production	Label/Stickers	Accounting	Marketing	Administrative Tasks	Statutory Master Data	General Settings	General Master Data	Organization	
😑 Das	hboard 🗙 📃	SMS Gateway P	roviders $ imes$												×
	SMS	GATEW	AY PRO	VIDE	RS										
_	SM	AS Cotowov Dra	widore												
<u>6</u>	AlertBoxHTTF	no dateway Pro	Joiliers	M	ain Detail Mi	scellaneous									
+	AlertBoxXML				Provider Name:					Active :	Method to Send HTTP	Request:			
m	CheapSMS				AlertBoxHITP						Send HTTP Strin	ig to Server in Hidden	Mode.		
b	DataGenitHT	ТР			Website http://	🔳 Add New Sl	MS Gateway					× to Default Web Br	owser (Close/Open).		
	DataGenitISC	NC					D CMC (AV			via Shell Commar	nd.		
LC.	Kit19				Provider HTTP :	AL	D 2M2 (JAIEW	AI						
IX	satyamitsolu	utions		F	http://alertbox.	Gateway Prov	ider Name					AGE>>&priority=8			
EX	Way2sms					Provider HTTP	String Type:	HTTP	O XML	O JSON O Other		air partal and gat	that tomolate a personal b	-for-	
	WhatsApp De	esktop			ending messag							en portai and get	that template approved b		
					Allow sending (Request Sendi	ng Method:	Get R	lequest	O Post Request		Enter the	Cataway Drawida		
				•	Maximum Re			Note: In 'Get Re While in 'Post F	equest', sms text w Request' sms text :	rill be sent as part of gateway H will be sent as separate bidden	TTP url string.	Nome HT	TP String Type		
												Request	Sending Method.		
								Add	Cance			This i	nformation is		
					nter Recipients ₇	wessage ou mg	(Required usually	TH Case of Aivity	лзом гоглац п	ere.	(Not to be part of mai	prov	vided by the		
												Gate	way Provider.		
					Server Up Time	: 24	Hours				Note About HTTP/Rec	ipients/Message Strir	ng Tags:		
					From:	09:00 AM	08:30 PM				Use tag < <recipient Use tag <<message></message></recipient 	>> to represent recipi >> to represent messag	ent contact number. ge text.		
					Allow sending m	essage on futur	e date:				Use tag < <template Use tag <<sendond <="" td=""><td>ID>> to represent veri ATE>> to represent fut</td><td>fied template. ure date.</td><td></td><td></td></sendond></template 	ID>> to represent veri ATE>> to represent fut	fied template. ure date.		
- PI	Record: I	1 of 10 ► ► ►	No Filter	Search											
м	Search 🔘) All 🔘 Start T	ext O End T	Text											
*				Y											



	9 ~ € ~ ┣ ◙ ~ ╼	Billing Register	Shashvat Gupta SG — 🗇 🗙
File	Home Sales Customers Purchases Supp	ers Inventory Production Label/Stickers Accounting Marketing Administrative Tasks	Statutory Master Data General Settings General Master Data Organization $ B $ Tell me
E Das	shboard 🗙 🖃 SMS Gateway Providers 🗙		×
	SMS GATEWAY PROVID	ERS	
*	SMS Gateway Providers AlertBoxHTTP AlertBoxXML CheanSMS	Main Detail Miscellaneous Provider Name: Active : Fast2sms	Method to Send HTTP Request: Image: Send HTTP String to Server in Hidden Mode.
	DataGenitITTP DataGenitISON Fast2sms	A Description:	 Load HTTP String into Default Web Browser (New Tab). Load HTTP String into Default Web Browser (Close/Open). Launch HTTP String via Shell Command.
IX	Kit19	Provider HTTP O XML O JSON O Other	
EX	satyamitsolutions uengage	My gateway provider disallows sending of dynamic messages over Transactional route, but expects me to c	reate a message template on their portal and get that template approved before
	Way2sms	sending message:	
	WhatsApp Desktop	Allow sending of SMS to multiple recipients in single shot:	
		Enter Recipients/Message String (Required usually in case of XML/JSON Format) here:	* Recipients/Message String has to be sent separately via Post Method (Not to be part of main HTTP String)
		Server Up Time : 24 Hours Allow sending message on future date:	Note About HTTP/Recipients/Message String Tags: Use tag < <recipient>> to represent recipient contact number. Use tag <<message>> to represent message text. Use tag <<templateid>> to represent verified template. Use tag <<sendondate>> to represent future date.</sendondate></templateid></message></recipient>
× K N X	Record: I4 6 of 11 Image: Ima	Enter/Select all the values/options as p Do not forget the fields in	provided by the Gateway Provider. the Miscellaneous tab.

	୨・୯੶ ฿∎∙ =	Billing Register	Shashvat Gupta SG - D ×
File	Home Sales Customers Purchases Supp	iers Inventory Production Label/Stickers Accounting Marketing Administrative Tasks	Statutory Master Data General Settings General Master Data Organization $ ho$ Tell me
E Das	shboard 🗙 📑 SMS Gateway Providers 🗙		ذ
	SMS GATEWAY PROVID	ERS	
	SMS Gateway Providers AlertBoxHTTP AlertBoxXML CheapSMS DataGenitHTTP DataGenitUSON Fast2sms	Main Detail Miscellaneous Provider Name: Active : Fast2sms Active : ^ Description: https://www.fast2sms.com/ https://www.fast2sms.com/ O JSON O Other	 Method to Send HTTP Request: Send HTTP String to Server in Hidden Mode. Load HTTP String into Default Web Browser (New Tab). Load HTTP String into Default Web Browser (Close/Open). Launch HTTP String via Shell Command.
IX	Kit19	https://mvw.fast2sms.com/pushsms.php?username=IJSERNAME&api_password=PASSWORD&sender=INFO	RM&to=< <recipient>>&message=•<<message>>&priority=8</message></recipient>
EX	satyamitsolutions		
_	uengage	My gateway provider disallows sending of dynamic messages over Transactional route, but expects me to sending message:	o create a message template on their portal and get that template approved before
	Way2sms	Allow sending of SMS to multiple recipients in single shot:	
		Maximum Recipients Per Message: Recipients List Unlimited Setting: Enter Recipients/Message String (Required usually in case of XML/JSON Format) here:	Recipients Tag Suffix: Recipients List Seperator:
		Server Up Time : 24 Hours	Note About HTTP/Recipients/Message String Tags: Use tag < <recipient>> to represent recipient contact number. Use tag <<message>> to represent message text. Use tag <<templateid>> to represent verified template. Use tag <<sendondate>> to represent future date.</sendondate></templateid></message></recipient>
▼▲ K N	Record: H		







🗄 9 ~ C ~ 😫 🖪 * 🔻	Billing Register	Shashvat Gupta SG - D ×
File Home Sales Customers Purchases Suppliers Inventory	Production Label/Stickers Accounting Marketing Administrative Tasks Statuto	ry Master Data General Settings General Master Data Organization $ eq ho$ Tell me
E Dashboard X E Send Messages X		×
Message Type SMS Sending Method Gateway SMS Email USB Device Providers: Import Contacts from Excel File Import Contacts from Unfo >Use Phone Number Sent 745-896-2212 Import	Wait Between Two SMS: 1 To 1 Seconds AlertBoxHTTP AlertBoxXML CheapSMS DataGenitHTTP DataGenitJSON Fast2sms Kit19 satyamitsolutions uengage Way2sms	Select the Gateway Provider from this drop-down list.
Record: H 4 2 of 2 + H + Filtered Search	WhatsApp Desktop	
Template Name: Generic Offer	✓ Type: ● Messages ○ Wishe	s
SMS Text:	Selected Gateway Restri	cted Symbols List View In Editor Read From Editor Delete SMS Text
Congratulation! Get 20% discount on your next order.		

Thanks

<u>S</u>end

🗄 9× C× 🕻 🖪 • 📼		Shashvat Gupta SG - D X				
File Home Sales Customers	Purchases Suppliers Inventory Production Label/Stickers	Accounting Marketing Administrative Tasks Statutory Master Data	General Settings General Master Data Organization $ ot > ext{Constraint} $ Tell me			
📑 Dashboard 🗙 📑 Send Messages 🗙			×			
Message Type SMS Sending SMS C Email Method	Gateway USB Device Providers: Fast2sms	Wait Between Two SMS: 1 To 1 Seconds Send same SMS	S to multiple recipients in single shot			
Import Contacts from Excel File	Import Contacts from Unformatted Text File	Delete All Contacts File Format : Excel CSV Exp	ort Contacts			
>Use Phone Number ✓ 745-896-2212 * ✓ Record: I4 2 of 2 >I > Filtered	Sent Sent Search					
^ Template Name: Generic Offer	×	Type: O Messages O Wishes				
SMS Text:		Selected Gateway Restricted Symbols List	t View In Editor Read From Editor Delete SMS Text			
Congratulation! Get 20% discount on your next order. Thanks	SMS Gateway (Fasta You may refer to the He HOW TO SEND SN	sms) is now set up and ready to be used to send SMSs. Docs section of our website for detailed instruction: TO MY CUSTOMERS USING BILLING REGISTER?	s on			

<u>S</u>end